- RADIAFLEX® functions as a distributed antenna to provide communications in tunnels, mines and large building complexes and is the solution for any application in confined areas.
- Slots in the copper outer conductor allow a controlled portion of the internal RF energy to be radiated into the surrounding environment. Conversely, a signal transmitted near the cable will couple into the slots and be carried along the cable length.
- RADIAFLEX® is used for both one-way and two-way communication systems and because of its broadband capability, a single radiating cable can handle multiple communication systems simultaneously.
- This RADIAFLEX® radiating cable utilize a low-loss cellular polyethylene foam dielectric and a corrugated copper outer conductor which offers a combination of remarkable flexibility, high strength and excellent electrical performance.
- MADE IN MERIDEN, CT USA

## **FEATURES / BENEFITS**

- Broadband radiating cable supporting all wireless application between 30 MHz to 2650 MHz
- Ideally suited for application that require low bending radii
- Robust radiating cable operational under all environmental conditions as e.g. harsh tunnels or mines



RCF cable, A-series

## **Technical features**

GENERAL SPECIFICATIONS					
Size		1-5/8			
ELECTRICAL SPECIFICATIONS					
Max. Operating Frequency	MHz	2650			
Cable Type		RCF			
Impedance	Ohm	50 +/- 2			
Velocity, percent	%	89			
Capacitance	pF/m (pF/ft)	75 (22.9)			
Inductance, uH/m (uH/ft)	μH/m (μH/ft)	0.188 (0.057)			
DC-resistance inner conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	1.26 (0.38)			
DC-resistance outer conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	0.55 (0.17)			
Stop bands	MHz	None			

RCF158-50JFLA-NYCT REV: B REV DATE: 11 May 2021 www.rfsworld.com

Jacket		JFL	
Jacket Color		Standard Black, other colors on request	
lacket Description		Halogen free, non corrosive, flame and fire retardant, low smoke, polyolefin + flame barri tape above outer conductor for lowest cable loss	
Slot Design		Milled (Two-Row)	
Inner Conductor Material		Corrugated Copper Tube	
Outer Conductor Material		Corrugated Copper Tube	
Diameter Inner Conductor	mm (in)	17.6 (0.69)	
Diameter Outer Conductor	mm (in)	46.5 (1.83)	
Diameter over Jacket Nominal	mm (in)	50.3 (1.98)	
Minimum Bending Radius, Single Bend	mm (in)	500 (19.7)	
Cable Weight	kg/m (lb/ft)	1.3 (0.87)	
Tensile Force	N (lb)	1080 (238)	
Indication of Slot Alignment		None	
Recommended / Maximum Clamp Spacing	m (ft)	1.2 (4)	
Minimum Distance to Wall	mm (in)	50 (2)	
TESTING AND ENVIRONMENTAL			
Jacket Testing Methods		Test methods for fire behaviour of cable : IEC 60754-1/-2 smoke emission: halogen free, non corrosive IEC 61034 low smoke IEC 60332-1 flame retardant IEC 60332-3-24 fire retardant NFPA 130	
TEMPERATURE SPECIFICATIONS			
Storage Temperature	°C(°F)	-70 to 85 (-94 to 185 )	
Installation Temperature	°C(°F)	-25 to 60 (-13 to 140 )	
Operation Temperature	°C(°F)	-40 to 85 (-40 to 185 )	

RCF158-50JFLA-NYCT REV : B REV DATE : 11 May 2021 **www.rfsworld.com** 



ATTENUATION AND POWER RATING						
Frequency, MHz	Longitudinal Loss, dB/100 m (dB/100 ft)	Coupling Loss 50%, dB	Coupling Loss 95%, dB			
75	0.59 (0.18)	62	74			
150	0.86 (0.26)	70	80			
450	1.60 (0.49)	83	93			
800	2.25 (0.69)	84	94			
870	2.37 (0.72)	82	92			
900	2.42 (0.74)	82	92			
960	2.51 (0.77)	82	92			
1800	3.80 (1.16)	81	91			
1900	3.94 (1.20)	80	90			
2000	4.08 (1.24)	80	90			
2200	4.36 (1.33)	80	90			
2400	4.65 (1.42)	80	90			
2600	4.92 (1.50)	80	90			

## **External Document Links**

## Notes

- Coupling loss values are average values of all three spatial orientations (radial, parallel and orthogonal) of dipole antenna.
- As with any radiating cable, the performance in building or tunnel environments may deviate from figures based on free space method.
- Spec Rev A specifically for NYCT:
- (\*) Coupling Loss and Longitudinal Loss values are nominal values in table above and measured by the free space method according to IEC 61196-4 at 2m (6.6ft) distance.
- (\*\*) Longitudinal loss values in table above with a tolerance of +/-5 %
- (\*\*\*) Orthogonal Coupling loss measured by the free space method according to IEC 61196-4 at distance of 6 m (20 ft) below

(Maximum Values - 50% RP)

150MHz: 85 dB | 450 MHz; 88 dB | 900MHz: 89 dB

RCF158-50JFLA-NYCT REV: B REV DATE: 11 May 2021 **www.rfsworld.com**