

**CLAMP-046**

Cable hanger, non-insulated, bolt-on, for E46 elliptical waveguide

Hanger, non-insulated, bolt-on for elliptical waveguides  
E46 / ES46 / EP46 / ESP46, made of stainless steel

**FEATURES / BENEFITS**

Stainless steel hangers for supporting elliptical waveguide to tower. Recommended spacing 1m (3 feet). Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot

[External Document Links](#)[Notes](#)**Technical features****GENERAL SPECIFICATIONS**

|                        |  |                                  |
|------------------------|--|----------------------------------|
| Product Line           |  | Elliptical Waveguide Accessories |
| Product Type           |  | Hanger                           |
| Hanger Type            |  | Bolt-On, non-insulated           |
| Transmission Line Type |  | ES46<br>ESP46<br>E46<br>EP46     |

**MECHANICAL SPECIFICATIONS**

|                                  |  |                 |
|----------------------------------|--|-----------------|
| Number of Cable / Waveguide Runs |  | 1               |
| Material                         |  | Stainless Steel |

**TEMPERATURE SPECIFICATIONS**

|                       |         |                         |
|-----------------------|---------|-------------------------|
| Operation Temperature | °C (°F) | -50 to 85 (-58 to 185 ) |
| Storage Temperature   | °C (°F) | -50 to 85 (-58 to 185 ) |

**PACKAGING INFORMATION**

|                  |  |    |
|------------------|--|----|
| Package Quantity |  | 10 |
|------------------|--|----|