

Layouts see Page 2 and 3

Barcode:

Code 39
 Strichbreitenreduzierung: 1 Pixel
 Skalierung: 100%
 Strichhöhe: 0,5
 Verhältnis breit zu eng : 2,5 zu 1
 Modus 43 Prüfung
 Schrift: Arial , 14 Pkt. , Fett

Layout- Spezifikation/Specification:

Farbe / Color : schwarz RAL9005 matt
 Druck / Print : Wie dargestellt / As shown
 Geringe drucktechnisch bedingte Abweichungen sind zulässig. Minor printing deviations are permitted.
 1600159 (15x20mm)

					Datum	Name	Reg/SAP: 155 497 74
					Drawn		Installation instruction JSTRIP-78-2 Stripping tool
				15.09.20	Vapur		
04	ECM 500000011623	15.09.20	Vapur	Chk`d	12.04.21	Wunder	
03	ECM 500000004875	18.02.14	Rö				
b	D-009-05	24.08.05	Firley				
a	Released						
Rev.	Remark / Change	Date	Name	RFS Germany		Doc.No.:	1000005989



210,0 mm

Arial, 18, Fett

Attention



Be carefull
Sharp blade



TO SERVE YOU BETTER
Any questions, comments or
suggestions that would help
us improve our products and
services? Scan this QR code!

Radio Frequency Systems
www.rfsworld.com

2800006-b / 06.05

Page 4

Arial, 11, Fett

Arial, 7

Arial, 11, Fett
Arial, 7

RADIO FREQUENCY SYSTEMS



Model

JSTRIP-78-2



D

Contents (each)

1



155 497 74

Product family

Stripping tool

for GKSPEED-grounding kit

Installation notes see the following pages

Page 1

Arial, 11, Fett

Arial, 7, Fett
Arial, 20, Fett

148,0 mm

Arial, 7, 14, Fett

Arial, 7, Fett

Arial, 14

Arial, 7, Fett

Arial, 16, Fett


Arial, 7

Arial, 7, Fett


Page 2 of 3



TO SERVE YOU BETTER
Any questions, comments or
suggestions that would help
us improve our products and
services? Scan this QR code!



Page 2



Page 3

Verdana, 10, Fett
 Arial, 10, Fett

Arial, 10

