

# Layouts see Page 2 and 3

Barcode:

Code 39  
 Strichbreitenreduzierung: 1 Pixel  
 Skalierung: 100%  
 Strichhöhe: 0,5  
 Verhältnis breit zu eng : 2,5 zu 1  
 Modus 43 Prüfung  
 Schrift: Arial , 14 Pkt. , Fett

Layout- Spezifikation/Specification:

Farbe / Color : schwarz RAL9005 matt  
 Druck / Print : Wie dargestellt / As shown  
 Geringe drucktechnisch bedingte Abweichungen sind zulässig. Minor printing deviations are permitted.  
 1600159 (15x20mm)

RFS-Logo :

					<b>Datum</b>	<b>Name</b>	Reg/SAP: 155 697 85
					<b>Drawn</b>		<b>Installation instruction JSTRIP-12-3 Stripping tool</b>
					15.09.20	Vapur	
					<b>Chk`d</b>		
					12.04.21	Wunder	
03	ECM 500000011623	15.09.20	Vapur				
02	ECM 50000004875	18.02.14	Röthig				
a	Released	07.10.08	Wunder				
<b>Rev.</b>	<b>Remark / Change</b>	<b>Date</b>	<b>Name</b>	<b>RFS Germany</b>			Doc.No.: <b>1000006007</b>
Replaces: 2800075-a				Replaced by:		Sheet - 1 - of - 3 - Sht.	

210,0 mm

Arial, 18, Fett

Attention



Be careful  
Sharp blade



TO SERVE YOU BETTER  
Any questions, comments or  
suggestions that would help  
us improve our products and  
services? Scan this QR code!

Radio Frequency Systems  
www.rfsworld.com

2800075-a

Page 4

Arial, 11, Fett

Arial, 7

Arial, 11, Fett  
Arial, 7

RADIO FREQUENCY SYSTEMS



Model

JSTRIP-12-3



D

Contents (each)

1



155 697 85

Product family

Stripping tool

for GKSPEED-grounding kit

Installation notes see the following pages

Page 1

Arial, 11, Fett

Arial, 7, Fett  
Arial, 20, Fett

148,0 mm

Arial, 7,14, Fett

Arial, 7, Fett

Arial, 14


Arial, 7, Fett

Arial, 16, Fett

Arial, 7

Arial, 7, Fett

Page 2 of 3



Page 2



Page 3

<b>Other stripping tool sizes available</b>	
<b>Cable type</b>	<b>Model name</b>
LCF12	JSTRIP-12-3
LCF/UCF78	JSTRIP-78-2
LCF/LCFS/UCF114	JSTRIP-114-2
LCF158	JSTRIP-158-2

Verdana, 10, Fett  
Arial, 10, Fett

Arial, 10