


SB4/SBX4 DR PACKING

Installation Instructions


1 / 8



NMT-10-1164-00



Required tools



2.5 50 N.m



19-17-13-8



3-2,5



19-17-13-8



GREASE X1
Grease (provided by RFS)

It is important to mount the antenna exactly as described in this installation instruction.
The installed antenna shall be inspected once per year by qualified personnel.
RFS disclaims any responsibility for the result of improper or unsafe installation.
This installation instruction has been written for qualified, skilled personnel.

We reserve the right to alter details, especially with respect to technical improvement


SB4/SBX4 DR PACKING

Installation Instructions

2 / 8



1



Custom Mechanical Interface for integrated solution x1




Kit for Customer Mechanical Interface for integrated solution x1




Adapter Interface x1



Packet for Adapter Interface x1



Basic Feed x1




RF Interface x1


2




V-Bolt M10 x2




Eye Bolt 8 x 130 x2



A 13 x2



M12 x4



M12 x2



Rain Cap x1




Rain Cap x1


2



V-Bolt M10 x1



Eye Bolt 8 x 130 x2



A 13 x2




M12 x4




M12 x2

2



Console x1




Connecting support U x1

2




V-Bolt M10 x1




Eye Bolt 8 x 130 x1




M10 x 40 x3




M8 x 130 x1



M8 x 25 x1



M8 x 20 x1




A 10.5 x3



L 8.4 x3




A 8.4 x3




Plastic Washer x1



W 10 x3



W 8 x2



M10 x3



M8 x2



Brass Nuts x2

SB4/SBX4 DR PACKING

Installation Instructions

3 / 8



SB4/SBX4 DR PACKING

Installation Instructions

4 / 8



2



Stainless steel Wire

x1



M5 x 20

x17



M5 x 12

x36



M5

x36



A5

x89



B5

x17


3



Reflector

x1

4



Tunnel

x3


5



Radome

x1

6



Swaybar


x1

2




Swaybar clamp

x1




Fixing plate swaybar

x1



Fixing clamp swaybar

x1




U Bolt M6/27

x2



M10 x 40

x1



M10 x 30

x8



A 10.5

x16



W 10

x9



M10

x8



A 6.4


x4



M6

x8

Generic View (Standard Radio Interface)



SB4/SBX4 DR PACKING

Installation Instructions

5 / 8



SB4/SBX4 DR PACKING

Installation Instructions

6 / 8



1

Working at ground






Working
on Pylon



2


Offset left




Offset right

3

Option 1: All Frequencies excepted
6 GHz and 7/8 GHz






Option 2: 6 GHz and 7/8 GHz




4


Option 1



Option 2



5





SB4/SBX4 DR PACKING

Installation Instructions


7 / 8



6



7



SB4/SBX4 DR PACKING


Installation Instructions

8 / 8





8

Screw tightened following the sequence : Step 1 then Step 2



Step 1



Step 2

9

