Hanger, non-insulated, bolt-on for coaxial cable

HCA495, made of stainless steel

## FEATURES / BENEFITS

Stainless steel hangers for supporting coaxial cable to tower. Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot



		Clamp for 1-5/8" shown as a sample
	External Document Links	Notes
		If using the Bolt-on hanger series in vertical runs, the hoisting grips
		need to be kept on the tower.

## **Technical features** GENERAL SPECIFICATIONS

SENERAL SPECIFICATIONS		
Product Line	Coaxial Cable Accessories	
Product Type	Hanger	
Hanger Type	Bolt-On, non-insulated	
Transmission Line Type	HCA495	
Cable Type	Air Dielectric	
MECHANICAL SPECIFICATIONS		

MECHANICAL SPECIFICATIONS	HANICAL SPECIFICATIONS		
Cable Size		5"	
Number of Cable / Waveguide Runs		1	
Material		Stainless Steel	
Recommended / Maximum Clamp Spacing	m (ft)	0.8 / 1.2 (2.75 / 4)	

## **TEMPERATURE SPECIFICATIONS**

Operation Temperature	°C (°F)	-50 to 85 (-58 to 185 )
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185 )

## **PACKAGING INFORMATION**

	-		
Package Quantity		10	

www.rfsworld.com CLAMP-495-S REV:B REV DATE: 13 Jul 2023