


**HOIST2-L09****Hoisting Grip for Coaxial Cable and Elliptical Waveguide, Lace-Up**

The hoisting grip consists of a wire mesh with 2 hoisting eyes, lace up version. Multiple use version covering several sizes.

FEATURES / BENEFITS**Antenna Transmission Line Installation**

- Hoisting stockings distribute the force during installation
- It holds the antenna transmission line by means of friction over their complete length
- The closed version (C-Type) is used when top connector is installed after the antenna transmission line is hoisted
- The open version (L-Type) is used where the top connector is installed prior to the hoisting

**External Document Links****Notes**

Maximum cable length per hoisting grip

| Cable type | Length [m] |
|------------|------------|
| HCA400 | 70 |

Technical features**STRUCTURE**

| | | |
|------------------------|--|---|
| Product Line | | Coaxial Cable Accessories, Elliptical Waveguide Accessories |
| Product Type | | Hoisting Grip |
| Transmission Line Type | | HCA400 |
| Coaxial Cable Type | | Air Dielectric |
| Cable Size | | 4" |
| Configuration | | 2 loops attachment |
| Style | | Lace-Up |

MECHANICAL SPECIFICATIONS

| | | |
|----------|--|------------------|
| Material | | Galvanized steel |
|----------|--|------------------|

PACKAGING INFORMATION

| | | |
|------------------|--|---|
| Package Quantity | | 1 |
|------------------|--|---|