

**CLAMP-114**

Cable hanger, non-insulated, bolt-on, for 1 1/4" coaxial cable and elliptical waveguide E65 and E70

Hanger, non-insulated, bolt-on for coaxial cable
LCF114 / LCFS114 / RCF114
and for elliptical waveguide E65/EP65 and E70/EP70
made of stainless steel

FEATURES / BENEFITS

Stainless steel hangers for supporting elliptical waveguide or coaxial cable to tower.
Recommended spacing 1m (3 feet). Hanger may be attached to angle adapters, tower standoffs,
member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters
through slot

**External Document Links****Notes****Technical features****GENERAL SPECIFICATIONS**

Product Line		Coaxial Cable Accessories Radiating Cable Accessories Elliptical Waveguide Accessories Hybrid Cable Accessories
Product Type		Hanger
Hanger Type		Bolt-On, non-insulated
Transmission Line Type		LCF114 LCFS114 RCF114 UCF114 E65 EP65 E70 EP70 HB114
Cable Type		Coaxial Foam Dielectric Radiating Cable Hybrid

MECHANICAL SPECIFICATIONS

Cable Size		1-1/4"
Number of Cable / Waveguide Runs		1
Material		Stainless Steel

TEMPERATURE SPECIFICATIONS

Operation Temperature	°C (°F)	-50 to 85 (-58 to 185)
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185)

PACKAGING INFORMATION

Package Quantity		10
-------------------------	--	----