Hanger, non-insulated, bolt-on for coaxial cable

HCA400, made of stainless steel

FEATURES / BENEFITS

Stainless steel hangers for supporting coaxial cable to tower. Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot



	Clamp for 1-5/8" shown as a sample						
External Document Links	Notes						
	If using the Bolt-on hanger series in vertical runs, the hoisting grips						
	need to be kept on the tower.						

Technical features

•	5	E	N	E	R	Α	L	S	P	Έ	C	IF	ı	C	4	I	I	J	r	V.	5	

Product Line	Coaxial Cable Accessories
Product Type	Hanger
Hanger Type	Bolt-On, non-insulated
Transmission Line Type	HCA400
Cable Type	Air Dielectric

MECHANICAL SPECIFICATIONS

Cable Size		4"
Number of Cable / Waveguide Runs		1
Material		Stainless Steel
Recommended / Maximum Clamp Spacing	m (ft)	0.8 / 1.2 (2.75 / 4)

TEMPERATURE SPECIFICATIONS

Operation Temperature	°C (°F)	-50 to 85 (-58 to 185)
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185)

PACKAGING INFORMATION

Package Quantity	10

www.rfsworld.com CLAMP-400-S REV:B REV DATE: 13 Jul 2023