

# Hoisting Grip for Coaxial Cable and Elliptical Waveguide, Closed Lacing

The hoisting grip consists of a wire mesh with 1 hoisting eye, closed version  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

## FEATURES / BENEFITS

## **Antenna Transmission Line Installation**

- Hoisting stockings distribute the force during installation
- It holds the antenna transmission line by means of friction over their complete length
- The closed version (C-Type) is used when top connector is installed after the antenna transmission line is hoisted
- The open version (L-Type) is used where the top connector is installed prior to the hoisting



## **Technical features**

3	ıĸ	U	L	ı	KE

Product Line	Coaxial Cable Accessories, Elliptical Waveguide Accessories
Product Type	Hoisting Grip
Transmission Line Type	LCF78, HCA78, UCF78, EP100, E105, EP105
Coaxial Cable Type	Air Dielectric, Foam Dielectric
Configuration	1 loop attachment
Style	Closed

## **MECHANICAL SPECIFICATIONS**

Material	Stainless steel
----------	-----------------

#### PACKAGING INFORMATION

FACRAGING INI ORMATION						
Package Quantity	1					

**External Document Links** 

Notes

HOIST1-78C REV : B REV DATE : 24 Jul 2015 www.rfsworld.com